



SAFETY DATA SHEET

May 2011

FARECLA G10 FINISHING COMPOUND

| A G10 FINISHING COMPOUND Distance or mixture and uses advised against y data sheet Products Limited ads shire | | | | |
|--|--|--|--|--|
| estance or mixture and uses advised against y data sheet Products Limited ads | | | | |
| y data sheet Products Limited ads | | | | |
| y data sheet Products Limited ads | | | | |
| Products Limited ads | | | | |
| ads | | | | |
| | | | | |
| hire | | | | |
| hire | | | | |
| | | | | |
| S | | | | |
| | | | | |
| 920 465041 | | | | |
| 920 466557 | | | | |
| @farecla.com | | | | |
| 1.4. Emergency telephone number | | | | |
| 920 465041 | | | | |
| purs only) | | | | |
| ection 2: Hazards identification | | | | |
| mixture | | | | |
| luct has no classification under CHIP. | | | | |
| luct has no classification under CLP. | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

PBT: This substance is not identified as a PBT substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

CFS Fibreglass, United Downs Industrial Park, Redruth, Cornwall, TR16 5HY Tel 01209 821028 | Fax 01209 822192 | Web www.cfsnet.co.uk | Email sales@cfsnet.co.uk

FIBREGLASS

SAFETY DATA SHEET

ALUMINIUM OXIDE

| - | 1344-28-1 | - | - | 10-30% |
|-------------------------|--------------|-------------------------|---|--------|
| ALKANES, C1 | 11-C15 ISO- | | | |
| 292-460-6 | 90622-58-5 | Xn: R65; -: R66 | - | 10-30% |
| NAPTHA (PE ⁻ | TROLEUM) HYD | ROTREATED HEAVY | | |
| 265-150-3 | 64742-48-9 | Xn: R65; -: R66; -: R10 | - | 1-10% |
| DISTILLATES | (PETROLEUM) | HYDROTREATED | | |
| 265-149-8 | 64742-47-8 | Xn: R65; -: R66 | - | 1-10% |

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes.

Ingestion: Wash out mouth with water.

Inhalation: Consult a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be irritation of the throat.

Inhalation: No symptoms.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray

to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

()

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. Turn leaking containers leak-

side up to prevent the escape of liquid.

CFS Fibreglass, United Downs Industrial Park, Redruth, Cornwall, TR16 5HY Tel **01209 821028** | Fax **01209 822192 |** Web **www.cfsnet.co.uk** | Email **sales@cfsnet.co.uk**

FIBREGLASS

SAFETY DATA SHEET

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for

disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Do not handle in a confined space. Avoid the formation or spread of mists in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area. The floor of the storage room must be impermeable to prevent the escape of liquids.

Respiratory protection: Respiratory protection not required.

Hand protection: Protective gloves.

Eye protection: Safety glasses. Ensure eye bath is to hand.

Skin protection: Protective clothing.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| State: | Liquid | |
|--|----------------------|--------------------------|
| Colour: | White | |
| Odour: | Characteristic odour | |
| Solubility in water: | Slightly soluble | |
| Viscosity: | Viscous | |
| Kinematic visc. 40°C (mm ² /s): | 12000 cps | |
| Viscosity test method: | Ferranti @ 20degC | |
| Flash point°C: | 71 | Autoflammability°C: >250 |
| Relative density: | 1.18 | |

CFS Fibreglass, United Downs Industrial Park, Redruth, Cornwall, TR16 5HY Tel 01209 821028 | Fax 01209 822192 | Web www.cfsnet.co.uk | Email sales@cfsnet.co.uk

....



SAFETY DATA SHEET

pH: 7.0

9.2. Other information

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Symptoms / routes of exposure

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be irritation of the throat.

Inhalation: No symptoms.

Section 12: Ecological information

12.1. Toxicity

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

CFS Fibreglass, United Downs Industrial Park, Redruth, Cornwall, TR16 5HY Tel **01209 821028** | Fax **01209 822192 |** Web **www.cfsnet.co.uk** | Email **sales@cfsnet.co.uk**



SAFETY DATA SHEET

12.5. Results of PBT and vPvB assessment

PBT identification: This substance is not identified as a PBT substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

Transport class: This product is not classified for transport.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

Section 16: Other information

Other information

| Other information: | : This safety data sheet is prepared in accordance with Commission Regulation (EU) No | | |
|----------------------------|--|--|--|
| | 453/2010. | | |
| | * indicates text in the SDS which has changed since the last revision. | | |
| Phrases used in s.2 and 3: | R10: Flammable. | | |
| | R65: Harmful: may cause lung damage if swallowed. | | |
| | R66: Repeated exposure may cause skin dryness or cracking. | | |
| Legal disclaimer: | The above information is believed to be correct but does not purport to be all inclusive | | |
| | and shall be used only as a guide. This company shall not be held liable for any | | |
| | damage resulting from handling or from contact with the above product. | | |

CFS Fibreglass, United Downs Industrial Park, Redruth, Cornwall, TR16 5HY Tel 01209 821028 | Fax 01209 822192 | Web www.cfsnet.co.uk | Email sales@cfsnet.co.uk