

## West & Senior Limited

Milltown Street • Radcliffe • Manchester • M26 1WE • United Kingdom

Tel +44 (0) 161 724 7131 • Fax +44 (0) 161 724 9519

http://www.westsenior.co.uk • info@westsenior.co.uk

# SAFETY DATA SHEET PY FASCOL GOLDEN YELLOW PIGMENT

According to Regulation (EC) No 1907/2006, Annex II, as amended by Regulation (EU) No 453/2010

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name PY FASCOL GOLDEN YELLOW PIGMENT

Product number WS40006A

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses COLOURING OF POLYESTER RESINS & GELCOATS.

## 1.3. Details of the supplier of the safety data sheet

Supplier WEST AND SENIOR LIMITED.

MILLTOWN STREET

**RADCLIFFE** 

MANCHESTER. M26 1WE. TEL + 44 01617247131 FAX + 44 01617249519 info@westsenior.co.uk

#### 1.4. Emergency telephone number

Emergency telephone 24 HOUR EMERGENCY TELEPHONE NUMBER: + 44 (0) 7930 595916

## SECTION 2: Hazards identification

## 2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified
Health hazards Not Classified
Environmental hazards Not Classified

**Environmental** The product is not expected to be hazardous to the environment.

2.2. Label elements

Hazard statements NC Not Classified

## 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

## SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

## PY FASCOL GOLDEN YELLOW PIGMENT

BARIUM SULPHATE 5-10%

CAS number: 7727-43-7 EC number: 231-784-4 REACH registration number: 01-

2119491274-35-0001

Classification
Not Classified

The full text for all hazard statements is displayed in Section 16.

Composition comments No other disclosure required under the latest EC Directives

## SECTION 4: First aid measures

## 4.1. Description of first aid measures

General information No specific recommendations. If in doubt, get medical attention promptly.

**Inhalation** Move affected person to fresh air at once. Get medical attention if any discomfort continues.

**Ingestion** Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse

mouth thoroughly with water. Give plenty of water to drink. Get medical attention if any

discomfort continues. None.

Skin contact Remove affected person from source of contamination. Get medical attention if irritation

persists after washing.

Eye contact Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15

minutes. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort

continues.

## 4.2. Most important symptoms and effects, both acute and delayed

**General information** Get medical attention if any discomfort continues.

InhalationNo specific symptoms known.IngestionNo specific symptoms known.Skin contactNo specific symptoms known.Eye contactNo specific symptoms known.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor No specific recommendations.

#### SECTION 5: Firefighting measures

## 5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

Unsuitable extinguishing

Do not use water jet as an extinguisher, as this will spread the fire.

media

#### 5.2. Special hazards arising from the substance or mixture

**Specific hazards** No unusual fire or explosion hazards noted.

Hazardous combustion

products

Heating may generate flammable vapours. Vapours may form explosive mixtures with air.

## 5.3. Advice for firefighters

Protective actions during

firefighting

No specific firefighting precautions known.

## PY FASCOL GOLDEN YELLOW PIGMENT

Special protective equipment for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective

clothing.

#### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions** Avoid heat, flames and other sources of ignition. Provide adequate ventilation.

#### 6.2. Environmental precautions

**Environmental precautions** Avoid the spillage or runoff entering drains, sewers or watercourses.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into

containers. Avoid the spillage or runoff entering drains, sewers or watercourses.

#### 6.4. Reference to other sections

Reference to other sections For waste disposal, see section 13.

## SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Usage precautions Wear suitable protective equipment for prolonged exposure and/or high concentrations of

vapours, spray or mist. Take precautionary measures against static discharges. Contaminated

rags and cloths must be put in fireproof containers for disposal.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep only in

the original container. Keep separate from food, feedstuffs, fertilisers and other sensitive

material.

#### 7.3. Specific end use(s)

**Specific end use(s)** The identified uses for this product are detailed in Section 1.2.

## SECTION 8: Exposure controls/Personal protection

#### 8.1. Control parameters

## Occupational exposure limits

#### **BARIUM SULPHATE**

Long-term exposure limit (8-hour TWA): 4 mg/m³ respirable dust Long-term exposure limit (8-hour TWA): 10 mg/m³ inhalable dust

#### **TITANIUM DIOXIDE**

Long-term exposure limit (8-hour TWA): WEL 4 mg/m³ respirable dust Long-term exposure limit (8-hour TWA): WEL 10 mg/m³ inhalable dust

WEL = Workplace Exposure Limit.

Ingredient comments No exposure limits known for ingredient(s).

## BARIUM SULPHATE (CAS: 7727-43-7)

**DNEL** Workers - Inhalation; Long term systemic effects: 10 mg/m³

Workers - Inhalation; Long term local effects: 10 mg/m³ Consumer - Inhalation; Long term systemic effects: 10 mg/m³ Consumer - Oral; Long term systemic effects: 13000 mg/kg

## PY FASCOL GOLDEN YELLOW PIGMENT

PNEC Fresh water; 115 μg/l

STP; 62.2 mg/l

Sediment (Freshwater); 600.4 mg/kg

Soil; 207.7 mg/kg

## C.I. PIGMENT YELLOW 83 (CAS: 5567-15-7)

**DNEL** Workers - Dermal; Long term systemic effects: 45 mg/kg/day

Workers - Inhalation; Long term local effects: 3 mg/m<sup>3</sup>

General population - Dermal; Long term systemic effects: 28 mg/kg/day General population - Oral; Long term systemic effects: 28 mg/kg/day

## **TITANIUM DIOXIDE (CAS: 13463-67-7)**

**DNEL** Workers - Inhalation; Long term local effects: 10 mg/m³

Professional - Inhalation; Long term local effects: 10 mg/m<sup>3</sup> Consumer - Oral; Long term systemic effects: 700 mg/kg/day

PNEC marine water; 0.0184 mg/l

Fresh water; 0.184 mg/l

Intermittent release; 0.193 mg/l

STP; 100 mg/l

Sediment, marine water; 100 mg/kg Sediment, Fresh water; 1000 mg/kg

Soil; 100 mg/kg

#### 8.2. Exposure controls

#### Protective equipment





Appropriate engineering controls

No specific ventilation requirements.

**Eye/face protection** Eyewear complying with an approved standard should be worn if a risk assessment indicates

eye contact is possible. The following protection should be worn: Chemical splash goggles or

face shield.

Hand protection Chemical-resistant, impervious gloves complying with an approved standard should be worn if

a risk assessment indicates skin contact is possible.

Other skin and body

protection

Wear appropriate clothing to prevent any possibility of skin contact.

Hygiene measures Do not smoke in work area. Wash at the end of each work shift and before eating, smoking

and using the toilet. Wash promptly if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin.

## SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

**Appearance** Viscous liquid. or Coloured paste.

Colour Various colours.

Odour Aromatic.

Odour threshold No information available.

## PY FASCOL GOLDEN YELLOW PIGMENT

pH No information available.
 Melting point No information available.
 Initial boiling point and range No information available.

Flash point >65°C

Evaporation rate

No information available.

Evaporation factor

No information available.

Flammability (solid, gas)

No information available.

Upper/lower flammability or

explosive limits

Relative density

No information available.

No information available.

Other flammabilityNo information available.Vapour pressureNo information available.Vapour densityNo information available.

Bulk density No information available.

Solubility(ies) Organic solvents. Insoluble in water.

Partition coefficient Not available.

Auto-ignition temperature

No information available.

No information available.

Viscosity

No information available.

No information available.

No information available.

Explosive under the influence

of a flame

No

Oxidising properties No information available.

9.2. Other information

Other information No information required.

## SECTION 10: Stability and reactivity

## 10.1. Reactivity

**Reactivity** There are no known reactivity hazards associated with this product.

10.2. Chemical stability

**Stability** Stable at normal ambient temperatures.

## 10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

No potentially hazardous reactions known.

## 10.4. Conditions to avoid

Conditions to avoid Avoid excessive heat for prolonged periods of time. Avoid heat, flames and other sources of

ignition.

## 10.5. Incompatible materials

## PY FASCOL GOLDEN YELLOW PIGMENT

Materials to avoid Strong oxidising agents. Peroxides.

#### 10.6. Hazardous decomposition products

Hazardous decomposition

products

This product contains a diaryl pigment. This product should not be used if the processing temperature exceeds 200°C because of possible thermal decomposition, which can, with prolonged exposure or further increased temperature, form e.g. traces of aromatic amines.

3,3'-Dichloro-benzidine.

Thermal decomposition may lead to formation of a multiplicity of compounds some of which may be hazardous. With incomplete combustion smoke and hazardous fumes and gases,

including carbon monoxide, may be formed.

## SECTION 11: Toxicological information

## 11.1. Information on toxicological effects

**Toxicological effects** Not classified.

Acute toxicity - oral

Notes (oral LD<sub>50</sub>) Not relevant.

Acute toxicity - dermal

Notes (dermal LD<sub>50</sub>) Not relevant.

Acute toxicity - inhalation

Notes (inhalation LC<sub>50</sub>) Not relevant.

Acute and chronic health

hazards

No specific health hazards known.

## SECTION 12: Ecological information

**Ecotoxicity** Not regarded as dangerous for the environment.

12.1. Toxicity

**Toxicity** Not considered toxic to fish.

## 12.2. Persistence and degradability

Persistence and degradability There are no data on the degradability of this product.

## 12.3. Bioaccumulative potential

Partition coefficient Not available.

12.4. Mobility in soil

**Mobility** No information available.

## 12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

No information available.

assessment

12.6. Other adverse effects

Other adverse effects None known.

## SECTION 13: Disposal considerations

## 13.1. Waste treatment methods

## PY FASCOL GOLDEN YELLOW PIGMENT

**Disposal methods**Dispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority. Empty containers should be taken to an approved waste

handling site for recycling or disposal.

#### SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods

(IMDG, IATA, ADR/RID).

#### 14.1. UN number

Not applicable.

## 14.2. UN proper shipping name

Not applicable.

#### 14.3. Transport hazard class(es)

Not applicable.

## 14.4. Packing group

Not applicable.

## 14.5. Environmental hazards

#### Environmentally hazardous substance/marine pollutant

No.

#### 14.6. Special precautions for user

Not applicable.

## 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not relevant.

Annex II of MARPOL 73/78

and the IBC Code

#### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations Control of Substances Hazardous to Health Regulations 2002 (as amended).

**EU legislation** Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No

1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning

the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH),

establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as

Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC,

93/105/EC and 2000/21/EC, including amendments. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and

1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments.

Guidance A guide to local exhaust ventilation (LEV) HSG258 (as ammended)

Workplace Exposure Limits EH40.

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

#### SECTION 16: Other information

## PY FASCOL GOLDEN YELLOW PIGMENT

Revision date 13/06/2019

Revision 5

Supersedes date 20/03/2019

SDS number 40034

The information contained within this document is presented in good faith and is believed to be correct. West and Senior Limited makes no representation as to the accuracy and/or completeness of this information. This information is issued on the condition that the user will determine the safety and suitability of products for their purposes prior to use. All technical details and values presented are deemed typical and do not constitute a delivery specification.